


Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims:

1. (currently amended) A compound of ~~general~~ formula I



wherein:

R_a is a benzyl, 1-phenylethyl, or 3-chloro-4-fluorophenyl group;

R_b is a dimethylamino, *N*-methyl-*N*-ethylamino, *N*-methyl-*N*-isopropylamino, *N*-methyl-*N*-cyclopropylamino, *N*-methyl-*N*-(2-methoxyethyl)amino, *N*-ethyl-*N*-(2-methoxyethyl)amino, bis(2-methoxyethyl)amino, morpholino, *N*-methyl-*N*-(tetrahydrofuran-3-yl)amino, *N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino, *N*-methyl-*N*-(tetrahydrofuran-3-ylmethyl)amino, *N*-methyl-*N*-(tetrahydropyran-4-yl)amino, or *N*-methyl-*N*-(tetrahydropyran-4-ylmethyl)amino group; and

R_c is a cyclopropylmethoxy, cyclobutyl, cyclopentyl, tetrahydrofuran-3-yloxy, tetrahydrofuran-2-ylmethoxy, tetrahydrofuran-3-ylmethoxy, tetrahydropyran-4-yloxy, or tetrahydropyran-4-ylmethoxy group,

or a stereoisomer or physiologically acceptable salt thereof.

2. (currently amended) The compound of claim 1, wherein R_b is a dimethylamino, ~~with the exception of the compounds:~~

~~(1) — 4 [(3-chloro-4-fluorophenyl)amino] 6 - {[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino} - 7-cyclopropylmethoxyquinazoline;~~

(2) — 4 [(3-chloro-4-fluorophenyl)amino]-6-~~{[4-(dimethylamino)-1-oxo-2-buten-1-yl]amino}-~~
7-cyclopropylmethoxyquinazoline;

(3) — 4 [(3-chloro-4-fluorophenyl)amino]-6-~~{[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}-~~
7-cyclobutylmethoxyquinazoline;

(4) — 4 [(3-chloro-4-fluorophenyl)amino]-6-~~{[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}-~~
7-cyclopentylmethoxyquinazoline;

(5) — 4 [(*R*)-(1-phenylethyl)amino]-6-~~{[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}-~~7-
cyclobutylmethoxyquinazoline;

(6) — 4 [(*R*)-(1-phenylethyl)amino]-6-~~{[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}-~~7-
cyclopropylmethoxyquinazoline;

(7) — 4 [(*R*)-(1-phenylethyl)amino]-6-~~{[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}-~~7-
cyclopentylmethoxyquinazoline;

(8) — 4 [(3-chloro-4-fluorophenyl)amino]-6-~~([4-[bis(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl]amino)-~~7-
cyclopropylmethoxyquinazoline;

(9) — 4 [(3-chloro-4-fluorophenyl)amino]-6-~~([4-[*N*-ethyl-*N*-(2-methoxyethyl)amino]-1-oxo-2-
buten-1-yl]amino)-~~7-cyclopropylmethoxyquinazoline;

(10) — 4 [(3-chloro-4-fluorophenyl)amino]-6-~~([4-[*N*-methyl-*N*-(tetrahydropyran-4-yl)amino]-1-
oxo-2-buten-1-yl]amino)-~~7-cyclopropylmethoxyquinazoline;

(11) — 4 [(3-chloro-4-fluorophenyl)amino]-6-~~([4-[*N*-methyl-*N*-(tetrahydrofuran-2-
yl)methyl]amino]-1-oxo-2-buten-1-yl]amino)-~~7-cyclopropylmethoxyquinazoline; and

(12) — 4 [(3-chloro-4-fluorophenyl)amino]-6-~~([4-[*N*-methyl-*N*-(tetrahydrofuran-3-yl)amino]-1-
oxo-2-buten-1-yl]amino)-~~7-cyclopropylmethoxyquinazoline;

or a stereoisomer or physiologically acceptable salt thereof.

Claim 3. (currently amended) The compound of formula I according to one of claim 1, wherein:
or 2, with the exception of the compounds:

(1) — 4 [(3-chloro-4-fluorophenyl)amino] 6- {[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}—
7-cyclopropylmethoxyquinazoline;

(2) — 4 [(3-chloro-4-fluorophenyl)amino] 6- {[4-(dimethylamino)-1-oxo-2-buten-1-yl]amino}—
7-cyclopropylmethoxyquinazoline;

(3) — 4 [(3-chloro-4-fluorophenyl)amino] 6- {[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}—
7-cyclobutylloxyquinazoline;

(4) — 4 [(3-chloro-4-fluorophenyl)amino] 6- {[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}—
7-cyclopentylloxyquinazoline;

(5) — 4 [(R)-(1-phenylethyl)amino] 6- {[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}—
cyclobutylloxyquinazoline;

(6) — 4 [(R)-(1-phenylethyl)amino] 6- {[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}—
cyclopropylmethoxyquinazoline;

(7) — 4 [(R)-(1-phenylethyl)amino] 6- {[4-(morpholin-4-yl)-1-oxo-2-buten-1-yl]amino}—
cyclopentylloxyquinazoline;

(8) — 4 [(3-chloro-4-fluorophenyl)amino] 6- ({4-[bis(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}
amino) 7-cyclopropylmethoxyquinazoline;

(9) — 4 [(3-chloro-4-fluorophenyl)amino] 6- ({4-[N-ethyl-N-(2-methoxyethyl)amino]-1-oxo-2-
buten-1-yl]amino) 7-cyclopropylmethoxyquinazoline;

(10) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [*N*-methyl-*N*-(tetrahydropyran-4-yl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(11) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [*N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(12) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [*N*-methyl-*N*-(tetrahydrofuran-3-yl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(13) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [*N*-(2-methoxyethyl)-*N*-methylamino] 1-oxo-2-buten-1-yl}amino)-7-cyclopropylmethoxyquinazoline;

(14) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [bis(2-methoxyethyl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclobutylmethoxyquinazoline;

(15) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [*N*-methyl-*N*-(2-methoxyethyl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclobutylmethoxyquinazoline;

(16) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [(*S*)-*N*-methyl-*N*-(tetrahydrofuran-3-yl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclobutylmethoxyquinazoline;

(17) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [(*R*)-*N*-methyl-*N*-(tetrahydrofuran-3-yl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclobutylmethoxyquinazoline;

(18) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [*N*-methyl-*N*-(tetrahydropyran-4-yl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclobutylmethoxyquinazoline;

(19) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [(*R*)-*N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclobutylmethoxyquinazoline;

(20) — 4 [(3-chloro-4-fluorophenyl)amino] 6-({4 [(*S*)-*N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino] 1-oxo-2-buten-1-yl}amino)-7-cyclobutylmethoxyquinazoline;

(21) ~~4 [(3-chloro-4-fluorophenyl)amino]-6-({4 [*N*-methyl-*N*-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-(tetrahydrofuran-3-yloxy)quinazoline;~~

(22) ~~4 [(3-chloro-4-fluorophenyl)amino]-6-({4 [*N*-methyl-*N*-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-(tetrahydropyran-4-yloxy)quinazoline;~~

(23) ~~4 [(3-chloro-4-fluorophenyl)amino]-6-({4 [*N*-methyl-*N*-(2-methoxyethyl)amino]-1-oxo-2-buten-1-yl}amino)-7-(tetrahydrofuran-2-ylmethoxy)quinazoline; and~~

(24) ~~4 [(3-chloro-4-fluorophenyl)amino]-6-{{4 (*N*-cyclopropyl-*N*-methylamino)-1-oxo-2-buten-1-yl}amino}-7-cyclopropylmethoxyquinazoline;~~

R_a is a 1-phenylethyl or 3-chloro-4-fluorophenyl group;

R_b is a dimethylamino, *N*-methyl-*N*-ethylamino, *N*-methyl-*N*-isopropylamino, *N*-methyl-*N*-cyclopropylamino, *N*-methyl-*N*-(2-methoxyethyl)amino, *N*-ethyl-*N*-(2-methoxyethyl)amino, bis(2-methoxyethyl)amino, morpholino, *N*-methyl-*N*-(tetrahydrofuran-3-yl)amino, *N*-methyl-*N*-(tetrahydrofuran-2-ylmethyl)amino, *N*-methyl-*N*-(tetrahydrofuran-3-ylmethyl)amino, *N*-methyl-*N*-(tetrahydropyran-4-yl)amino, or *N*-methyl-*N*-(tetrahydropyran-4-ylmethyl)amino group; and

R_c is a cyclopropylmethoxy, cyclobutyloxy, cyclopentyloxy, tetrahydrofuran-3-yloxy, tetrahydrofuran-2-ylmethoxy, tetrahydrofuran-3-ylmethoxy, tetrahydropyran-4-yloxy, or tetrahydropyran-4-ylmethoxy group,

or a stereoisomer or physiologically acceptable salt thereof.

4. (cancelled)

5. (cancelled)

6. (cancelled)

Claims 7 to 20 (previously cancelled)

Claim 21 (new): The compounds of claim 3, wherein

R_b is a dimethylamino,

or a stereoisomer or physiologically acceptable salt thereof.

Claim 22 (new): The compounds of claim 3, wherein

R_a is a 3-chloro-4-fluorophenyl group and

R_b is a dimethylamino group,

or a stereoisomer or physiologically acceptable salt thereof.

Claim 23 (new): The compound of formula I according to claim 1, wherein:

R_a is a 3-chloro-4-fluorophenyl group;

R_b is a dimethylamino group; and

R_c is a tetrahydrofuran-3-yloxy, tetrahydrofuran-2-ylmethoxy, tetrahydrofuran-3-ylmethoxy, tetrahydropyran-4-yloxy, or tetrahydropyran-4-ylmethoxy group,

or a stereoisomer or physiologically acceptable salt thereof.